


## **BDP® R6G azide**


## http://www.lumiprobe.com/p/bdp-r6g-azide

Borondipyrromethene (BDP) dyes are high performance flurophores that exhibit excellent photostability and brightness. A number of BDP dyes is available that are tuned to match excitation and emission channels of classical xanthene and cyanine dyes.

BDP R6G is matched to R6G dye excitation and emission wavelengths. The fluorophore is an excellent alternative to R6G for various applications, including microscopy, fluorescence polarization assays, and two photon experiments.

Azide functional group allows to conjugate the fluorophore easily with various biomolecules, small molecules, and polymers using CuAAC or spAAC Click chemistry reactions.





## Structure of BODIPY R6G azide

## Absorption and emission spectra of BDP R6G

General properties	
Appearance:	dark colored solid
Molecular weight:	422.24
CAS number:	2183473-23-4
Molecular formula:	$C_{21}H_{21}N_6BF_2O$
IUPAC name:	3-(3-(4,4-Difluoro-5-phenyl-3a,4a-diaza-4-bora-s-indacen-3-yl)propionylamino)propylazide
Solubility:	good in DMF, DMSO, DCM
Quality control:	NMR <sup>1</sup> H, HPLC-MS (95%)
Storage conditions:	Storage: 24 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.
Legal statement:	This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.
Spectral properties	
Excitation/absorption maximum, nm:	530
Emission maximum, nm:	548

Fluorescence quantum 0.96 yield:

Conoral properties

CF <sub>260</sub> :	0.17
CF <sub>280</sub> :	0.18

BDP<sup>®</sup> is a trademark of Lumiprobe