


sulfo-Cyanine3.5 azide


http://www.lumiprobe.com/p/sulfo-cy35-azide

sulfo-Cyanine3.5 is a fluorescent dye with absorption and emission spectra between those of Cyanine3 and Cyanine5. Because of its spectral characteristics, this fluorophore is widely used in BRET and FRET experiments both as a pair donor and acceptor.

sulfo-Cyanine3.5 is a sulfonated derivative of Cyanine3.5 dye because it contains four additional sulfo groups, which ensures high water solubility of the dye and its conjugates. This allows working with this reagent in aqueous solutions without adding organic solvents.

This reagent is an azide derivative of sulfo-Cyanine3.5 dye for click chemistry reactions. The azide group allows conjugating the fluorophore with molecules containing alkyne or cycloalkyne groups, including various biomolecules, small molecules, and polymers, using copper-catalyzed click chemistry and copper-free SPAAC reaction.





Structure of sulfo-Cyanine3.5 azide

Absorption and emission spectra of sulfo-Cyanine3.5

General properties

Appearance:	dark colored solid
Mass spec M+ increment:	959.2
Molecular weight:	1073.37
Molecular formula:	$C_{41}H_{43}N_6K_3O_{13}S_4$
Solubility:	good in water, DMF, DMSO
Quality control:	NMR ¹ H, HPLC-MS (95%)
Storage conditions:	Storage: 24 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light.
Legal statement:	This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.
Spectral properties	

Spectral properties

Excitation/absorption maximum, nm: 576

•	
ε, L·mol ⁻¹ ·cm ⁻¹ :	139000
Emission maximum, nm:	603
Fluorescence quantum yield:	0.11

CF ₂₆₀ :	0.16
CF ₂₈₀ :	0.17