

**Lumiprobe Corporation** 

201 International Circle, Suite 135 Hunt Valley, Maryland 21030

USA


Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com

## **Alkyne-PEG2-NHS ester**

http://www.lumiprobe.com/p/alkyne-peg2-nhs-ester-1428629-71-3

Alkyne-PEG2-NHS ester is a bifunctional molecule containing NHS ester and alkyne functional groups. NHS ester group is used for the labeling of amine groups, like lysine and terminal NH<sub>2</sub>, in proteins and peptides. The terminal alkyne group is useful for copper-catalyzed click chemistry (CuAAC) or Sonogashira coupling.

PEG2 is a hydrophilic linker providing a good separation between the parts of the conjugate.



## Structure of Alkyne-PEG2-NHS ester

## **General properties**

Appearance: yellowish oil Molecular weight: 313.31 Molecular formula:  $C_{14}H_{19}NO_{7}$ 

Solubility: good in water and polar organic solvents

Quality control: NMR <sup>1</sup>H and HPLC-MS (95+%)

Storage conditions: 12 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks.

Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for safety and

efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic

products.